

according to Regulation (EC) No 1907/2006

# Düfa Extrem 6in1

Revision date: 18.10.2023

Product code: 10071020400000

Page 1 of 15

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Düfa Extrem 6in1 UFI: 0R9K-6E9H-6KP3-14XH 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture dispersion paint Relevant identified uses Uses advised against None, use in accordance with instructions. 1.3. Details of the supplier of the safety data sheet Meffert AG Farbwerke Company name: Street: Sandweg 15 Place: D-55543 Bad Kreuznach +49 671 870-0 Telephone: Telefax: +49 671 870-397 info@meffert.com E-mail: Contact person: **Regulatory Affairs Department** Telephone: +49 671 870-303 E-mail: SDB@meffert.com Internet: www.meffert.com 1.4. Emergency telephone 00 800 63333782 Mon.-Fri. 7.30 a.m. - 8.00 p.m., Sat. 9.00 a.m. - 8.00 p.m. number: **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

**Regulation (EC) No 1272/2008** Skin Sens. 1: H317

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

#### Regulation (EC) No 1272/2008

#### Hazard components for labelling

1,2-benzisothiazol-3(2H)-one 2-methyl-2H-isothiazol-3-one reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Signal word:

**Pictograms:** 



Warning

### Hazard statements

H317

May cause an allergic skin reaction.

#### Precautionary statements

P102	Keep out of reach of children.
P280	Wear protective gloves.
P302+P352	IF ON SKIN: Wash with plenty of water.
P362+P364	Take off contaminated clothing and wash it before reuse.



according to Regulation (EC) No 1907/2006

# Düfa Extrem 6in1

Revision date: 18.10.2023

Product code: 10071020400000

Page 2 of 15

### Special labelling of certain mixtures

EUH211:Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

#### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

Toxicological information: The substance/mixture does not contain any components that are classified as hazardous according to

REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605.

Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more have endocrine disrupting properties.

Environmental information: The substance/mixture does not contain any components that are classified as hazardous according to

REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605.

Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more have endocrine disrupting properties.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No	1272/2008)	·		
13463-67-7	Titanium dioxide; [in powder form <= 10 µm]	containing 1 % or more of particles w	ith aerodynamic diameter	15 - < 20 %	
	236-675-5		01-2119489379-17		
	Carc. 2; H351				
77-99-6	1,1,1-trimethylolpropane, 1,1,1-Tri	s(hydroxymethyl)propane		0.1 - < 1 %	
	201-074-9		01-2119486799-10		
	Repr. 2; H361fd	•	•		
2634-33-5	1,2-benzisothiazol-3(2H)-one		< 0.1 %		
	220-120-9	613-088-00-6	01-2120761540-60		
	Acute Tox. 2, Acute Tox. 4, Skin I Chronic 2; H330 H302 H315 H318	atic Acute 1, Aquatic			
2682-20-4	2-methyl-2H-isothiazol-3-one			< 0.1 %	
	220-239-6		01-2120764690-50		
	Acute Tox. 2, Acute Tox. 3, Acute Acute 1, Aquatic Chronic 1; H330	•			
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)			< 0.1 %	
		613-167-00-5	01-2120764691-48		
		Tox. 3, Skin Corr. 1C, Eye Dam. 1, S H310 H301 H314 H318 H317 H400 F			

Full text of H and EUH statements: see section 16.

according to Regulation (EC) No 1907/2006

# Düfa Extrem 6in1

Revision date: 18.10.2023

Product code: 10071020400000

Page 3 of 15

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
13463-67-7	236-675-5	Titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter <= 10 $\mu$ m]	15 - < 20 %
		50 = >6,82 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = Carc. 2; H351: >= 100 - 100	
77-99-6	201-074-9	1,1,1-trimethylolpropane, 1,1,1-Tris(hydroxymethyl)propane	0.1 - < 1 %
	inhalation: LC	50 = 850 mg/l (vapours); dermal: LD50 = 10000 mg/kg; oral: LD50 = 14700 mg/kg	
2634-33-5	220-120-9	1,2-benzisothiazol-3(2H)-one	< 0.1 %
		E = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: LD50 g; oral: LD50 = 530 mg/kg Skin Sens. 1; H317: >= 0,05 - 100 1; H400: M=1	
2682-20-4	220-239-6	2-methyl-2H-isothiazol-3-one	< 0.1 %
	= >2000 mg/kg Aquatic Acute	E = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: LD50 g; oral: LD50 = 285 mg/kg Skin Sens. 1A; H317: >= 0,0015 - 100 1; H400: M=10 ic 1; H410: M=1	
55965-84-9		reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	< 0.1 %
	LD50 = >75 m H315: >= 0,06 Skin Sens. 1A Aquatic Acute	E = 0,5 mg/l (vapours); inhalation: LC50 = 0,33 mg/l (dusts or mists); dermal: g/kg; oral: LD50 = 49,6-75 mg/kg Skin Corr. 1C; H314: >= 0,6 - 100 Skin Irrit. 2; - < 0,6 Eye Dam. 1; H318: >= 0,6 - 100 Eye Irrit. 2; H319: >= 0,06 - < 0,6 ; H317: >= 0,0015 - 100 1; H400: M=100 ic 1; H410: M=100	

### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **General information**

Take off immediately all contaminated clothing and wash it before reuse. If unconscious but breathing normally, place in recovery position and seek medical advice. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately. When in doubt or if symptoms are observed, get medical advice.

#### After inhalation

Remove casualty to fresh air and keep warm and at rest. In case of respiratory tract irritation, consult a physician.

#### After contact with skin

Wash immediately with: Water and soap Do not wash with: Solvents/Thinner In case of skin irritation, consult a physician.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.Seek medical advice immediately.

### After ingestion

Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

#### Allergic reactions

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media



according to Regulation (EC) No 1907/2006

# Düfa Extrem 6in1

Revision date: 18.10.2023

Product code: 10071020400000

Page 4 of 15

# Suitable extinguishing media

The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2).

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Use water spray jet to protect personnel and to cool endangered containers.

#### Additional information

Do not allow run-off from fire-fighting to enter drains or water courses.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

With water, a slippery film is created. Provide adequate ventilation.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform appropriate authorities in accordance with local regulations.

### 6.3. Methods and material for containment and cleaning up

#### Other information

Take up mechanically, placing in appropriate containers for disposal. Methods and material for containment and cleaning up: Sand Sawdust Universal binder

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Treat the recovered material as prescribed in the section on waste disposal.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Provide adequate ventilation as well as local exhaustion at critical locations. Avoid contact with skin, eyes and clothes. Avoid breathing dust/fume/gas/mist/vapours/spray. Personal protection equipment: see section 8

# Advice on protection against fire and explosion

No special fire protection measures are necessary.

### Advice on general occupational hygiene

Provide fresh air. When using do not eat, drink or smoke. Wash hands before breaks and after work. Make available sufficient washing facilities

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Always close containers tightly after the removal of product. Ensure adequate ventilation of the storage area.

#### Hints on joint storage

Do not store together with: Acid alkali

# Further information on storage conditions

Keep/Store only in original container. Protect from direct sunlight. Avoid cooling down below 10°C.

#### 7.3. Specific end use(s)

Water-based paints, solvent-free

#### SECTION 8: Exposure controls/personal protection

according to Regulation (EC) No 1907/2006

# Düfa Extrem 6in1

Revision date: 18.10.2023

Product code: 10071020400000

Page 5 of 15

# 8.1. Control parameters

# DNEL/DMEL values

CAS No	Name of agent							
DNEL type		Exposure route	Effect	Value				
13463-67-7	463-67-7 Titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter <= 10 μm]							
Worker DNEL	, long-term	inhalation	local	10 mg/m <sup>3</sup>				
Consumer DN	EL, long-term	oral	systemic	700 mg/kg bw/day				
77-99-6	1,1,1-trimethylolpropane, 1,1,1-Tris(hydroxymethyl)propa	ane						
Worker DNEL	, long-term	inhalation	systemic	3,3 mg/m³				
Worker DNEL	, long-term	dermal	systemic	0,94 mg/kg bw/day				
Consumer DN	EL, long-term	inhalation	systemic	0,58 mg/m³				
Consumer DN	EL, long-term	dermal	systemic	0,34 mg/kg bw/day				
Consumer DN	EL, long-term	oral	systemic	0,34 mg/kg bw/day				
2634-33-5	1,2-benzisothiazol-3(2H)-one							
Worker DNEL	, long-term	inhalation	systemic	6,8 mg/m³				
Worker DNEL	, long-term	dermal	systemic	0,966 mg/kg bw/day				
Consumer DN	EL, long-term	inhalation	systemic	1,2 mg/m <sup>3</sup>				
Consumer DN	EL, long-term	dermal	systemic	0,345 mg/kg bw/day				
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one a	and 2-methyl-2H-isothia	azol-3-one (3:1)					
Worker DNEL	, long-term	inhalation	local	0,02 mg/m³				
Worker DNEL	, acute	inhalation	local	0,04 mg/m <sup>3</sup>				
Consumer DN	EL, long-term	inhalation	local	0,02 mg/m³				
Consumer DN	EL, acute	inhalation	local	0,04 mg/m³				
Consumer DN	EL, long-term	oral	systemic	0,11 mg/kg bw/day				
Consumer DN	EL, acute	oral	systemic	0,09 mg/kg bw/day				

according to Regulation (EC) No 1907/2006

# Düfa Extrem 6in1

Revision date: 18.10.2023

Product code: 10071020400000

Page 6 of 15

#### **PNEC** values

CAS No	Name of agent	
Environmenta	l compartment	Value
13463-67-7	Titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic d	iameter <= 10 μm]
Freshwater		0,127 mg/l
Freshwater (ir	ntermittent releases)	0,61 mg/l
Marine water		1 mg/l
Freshwater se	ediment	1000 mg/kg
Marine sedim	ent	100 mg/kg
Micro-organis	ms in sewage treatment plants (STP)	100 mg/l
Soil		100 mg/kg
77-99-6	1,1,1-trimethylolpropane, 1,1,1-Tris(hydroxymethyl)propane	
2634-33-5	1,2-benzisothiazol-3(2H)-one	
Freshwater		0,00403 mg/l
Freshwater (ir	ntermittent releases)	0,0011 mg/l
Marine water		0,000403 mg/l
Marine water	(intermittent releases)	0,0011 mg/l
Freshwater se	diment	0,049 mg/l
Marine sedim	ent	0,00499 mg/kg
Micro-organis	ms in sewage treatment plants (STP)	1,03 mg/l
Soil		3 mg/kg
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	9 (3:1)
Freshwater		0,0039 mg/l
Freshwater (ir	ntermittent releases)	0,0039 mg/l
Marine water		0,0039 mg/l
Marine water	(intermittent releases)	0,0039 mg/l
Freshwater se	diment	0,027 mg/kg
Marine sedim	ent	0,027 mg/kg
Micro-organis	ms in sewage treatment plants (STP)	0,23 mg/l
Soil		0,01 mg/kg

# 8.2. Exposure controls

# Appropriate engineering controls

Provide adequate ventilation.

# Individual protection measures, such as personal protective equipment

# Eye/face protection

Wear eye/face protection.

Wear protective glasses during application with a spray gun.- EN 166

# Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Replace when worn. See information supplied by the manufacturer. . Comply with ruling 195 of Professional Association on "Usage of Protective Gloves"



according to Regulation (EC) No 1907/2006

	Düfa Extrem 6in1	
Revision date: 18.10.2023	Product code: 10071020400000	Page 7 of 15
rubber), FKM (fluoro ru Breakthrough time: >44 Unsuitable material: lea For special purposes, i	t (Nitrile rubber), CR (polychloroprene, chloroprene rubber), Butyl caoutchouc (butyl ubber) neoprene. Wear cotton undermitten if possible. 80 min. Thickness of the glove material: >0,5 mm ather, fabric. t is recommended to check the resistance to chemicals of the protective gloves ther with the supplier of these gloves.	
Skin protection Light protective clothin Respiratory protection	g. Chemical resistant safety shoes- EN ISO 20345	
For grinding work: Filte The type of personal p	ssing: Filtering device (full mask or mouthpiece) with filter: A2/P2 ering device (full mask or mouthpiece) with filter: P2 rotection equipment has to be chosen based on the concentration and amount of the at the workplace. EN 137	
	<b>controls</b> nto surface water or drains. If the product contaminates lakes, rivers or sewages, inform in accordance with local regulations.	

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	see color on the packaging label
Odour:	sweetish
Odour threshold:	not determined
Melting point/freezing point:	ca. 0°C °C
Boiling point or initial boiling point and	ca. 100 °C
boiling range:	
Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Flash point:	na
Auto-ignition temperature:	not applicable
Decomposition temperature:	not applicable
pH-Value (at 20 °C):	7,8 - 8,5
Viscosity / kinematic:	na
Water solubility:	completely miscible
Dissolution rate:	not applicable
Partition coefficient n-octanol/water:	Not applicable for mixtures
Vapour pressure:	not determined
Density (at 20 °C):	1,4 g/cm³
Particle characteristics:	Liquid, not applicable
9.2. Other information	
Information with regard to physical haz	ard classes
Sustaining combustion:	Not sustaining combustion
Self-ignition temperature	
Solid:	not applicable
Gas:	not applicable
Other safety characteristics	
Solvent separation test:	not applicable
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	not applicable
Flow time:	na
Further Information	

# Düfa Extrem 6in1

Revision date: 18.10.2023

Product code: 10071020400000

Page 8 of 15

none

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

This material is considered to be non-reactive under normal use conditions.

#### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

Exothermic reaction with: Oxidising agent, Strong acid, Strong alkali

### 10.4. Conditions to avoid

Avoid heat and frost.

# 10.5. Incompatible materials

Materials that react with water. Alkali (Iye) Acid, Oxidising agent..

### 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Nitrogen oxides (NOx), Carbon dioxide (CO2). Under certain fire conditions, traces of other toxic products can not be excluded.

### **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

according to Regulation (EC) No 1907/2006

# Düfa Extrem 6in1

Revision date: 18.10.2023

Product code: 10071020400000

Page 9 of 15

CAS No	Chemical name	Chemical name								
	Exposure route	Dose		Species	Source	Method				
13463-67-7	Titanium dioxide; [in pov	Titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter <= 10 μm]								
	oral	LD50 mg/kg	>5000	Rat		OECD 425				
	dermal	LD50 mg/kg	>2000	Rat						
	inhalation (4 h) dust/mist	LC50 mg/l	>6,82							
77-99-6	1,1,1-trimethylolpropane	, 1,1,1 <b>-</b> Tris(	hydroxymethy	/l)propane						
	oral	LD50 mg/kg	14700	Rabbit						
	dermal	LD50 mg/kg	10000	Rabbit						
	inhalation (4 h) vapour	LC50	850 mg/l	Rat						
2634-33-5	1,2-benzisothiazol-3(2H	)-one								
	oral	LD50 mg/kg	530	Rat		OECD 423				
	dermal	LD50 mg/kg	>2000	Rat		OECD 402				
	inhalation vapour	ATE	0,5 mg/l							
	inhalation dust/mist	ATE	0,05 mg/l							
2682-20-4	2-methyl-2H-isothiazol-3-one									
	oral	LD50 mg/kg	285	Rat						
	dermal	LD50 mg/kg	>2000	Rat						
	inhalation vapour	ATE	0,5 mg/l							
	inhalation dust/mist	ATE	0,05 mg/l							
55965-84-9	reaction mass of 5-chlor	o-2-methyl-	2H-isothiazol-	3-one and 2-methyl-2	2H-isothiazol-3-one (3	:1)				
	oral	LD50 mg/kg	49,6-75	Rat						
	dermal	LD50 mg/kg	>75	Rabbit						
	inhalation vapour	ATE	0,5 mg/l							
	inhalation (4 h) dust/mist	LC50	0,33 mg/l	Rat						

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

# Sensitising effects

May cause an allergic skin reaction. (1,2-benzisothiazol-3(2H)-one; 2-methyl-2H-isothiazol-3-one; reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1))

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter <= 10  $\mu$ m]: Test data from the manufacturer of the raw materials containing TiO2 according to EN 15051-2 show that the raw materials contain < 1% particles with an aerodynamic diameter of <=10  $\mu$ m and therefore do not meet the classification criteria. The respirable and thoracic dust content of raw materials containing TiO2 falls into the very low or low dust category according to the EN 15051-2 method.



according to Regulation (EC) No 1907/2006

# Düfa Extrem 6in1

Revision date: 18.10.2023

Product code: 10071020400000

Page 10 of 15

# STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

# Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

# Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Based on available data, the classification criteria are not met.

# according to Regulation (EC) No 1907/2006

# Düfa Extrem 6in1

Revision date: 18.10.2023

Product code: 10071020400000

Page 11 of 15

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
13463-67-7	Titanium dioxide; [in powo	der form conta	aining 1 % c	or more o	of particles with aerodynan	nic diameter <= 10 μm	]
	Acute fish toxicity	LC50 mg/l	>10000	96 h	Cyprinus carpio (Common Carp)		OECD 203
	Acute algae toxicity	ErC50 mg/l	>100	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia magna (Big water flea)		
77-99-6	1,1,1-trimethylolpropane,	1,1,1-Tris(hyc	lroxymethy	l)propane	e		
	Acute fish toxicity	LC50 mg/l	10000	96 h	Alburnus alburnus (alburnum)		
	Acute algae toxicity	ErC50 10000 mg/l	1000-	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 mg/l	13000	48 h	Daphnia magna (Big water flea)		
	Algae toxicity	NOEC mg/l	1000	3 d	not determined		
	Crustacea toxicity	NOEC mg/l	1000	21 d	not determined		
	Acute bacteria toxicity	(EC50 mg/l)	1000	3 h	not determined		
2634-33-5	1,2-benzisothiazol-3(2H)-	one					
	Acute fish toxicity	LC50 mg/l	2,15	96 h	Oncorhynchus mykiss (Rainbow trout)		OECD 203
	Acute algae toxicity	ErC50 mg/l	0,11	72 h	Pseudokirchneriella subcapitata		OECD 201
	Acute crustacea toxicity	EC50 mg/l	3,27	48 h	Daphnia magna (Big water flea)		OECD 202
	Fish toxicity	NOEC mg/l	0,21	28 d	Oncorhynchus mykiss (Rainbow trout)		OECD 215
	Algae toxicity	NOEC mg/l	0,0403	3 d	Pseudokirchneriella subcapitata		OECD 201
	Acute bacteria toxicity	(EC50 mg/l)	12,8	3 h	Activated sludge		OECD 209
2682-20-4	2-methyl-2H-isothiazol-3-	one				_	
	Acute fish toxicity	LC50 mg/l	>0,15	96 h	Danio rerio (zebrafish)		
	Acute algae toxicity	ErC50 mg/l	0,157	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 mg/l	0,87	48 h	Daphnia magna (Big water flea)		
	Acute bacteria toxicity	(EC50 mg/l)	34,6	3 h	Activated sludge		
55965-84-9	reaction mass of 5-chloro	-2-methyl-2H-	isothiazol-3	B-one and	d 2-methyl-2H-isothiazol-3	9-one (3:1)	
	Acute fish toxicity	LC50 mg/l	0,19	96 h	Oncorhynchus mykiss (Rainbow trout)		OECD 202
	Acute algae toxicity	ErC50 mg/l	0,027	72 h	Pseudokirchneriella subcapitata		OECD 201
	Acute crustacea toxicity	EC50 mg/l	0,16	48 h	Daphnia magna (Big water flea)		OECD 203
	Fish toxicity	NOEC mg/l	0,05		Oncorhynchus mykiss (Rainbow trout)		

Revision No: 2,1 - Replaces version: 2,0

# Düfa Extrem 6in1

Revision date: 18.10.2023

Product code: 10071020400000

Page 12 of 15

Algae toxicity	NOEC mg/l	0,0012	3 d Pseudokirchneriella subcapitata	OECD 201
Crustacea toxicity	NOEC	0,1 mg/l	21 d Daphnia magna (Big water flea)	
Acute bacteria toxicity	(EC50 mg/l)	7,92	3 h Activated sludge	OECD 209

## 12.2. Persistence and degradability

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation		-				
2634-33-5	1,2-benzisothiazol-3(2H)-one						
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	70-80%	28				
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one	and 2-methyl-2H-isothiaz	ol-3-one (3:1)				
	OECD 301D/ EEC 92/69/V, C.4-E	>60%	28				
	Readily biodegradable (according to OECD criteria).						
	OECD 302B/ ISO 9888/ EEC 92/69/V, C.9 100% 28						
	OECD 303/ EEC 92/69/V, C10	>80%	28				

#### 12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
2634-33-5	1,2-benzisothiazol-3(2H)-one	0,7
2682-20-4	2-methyl-2H-isothiazol-3-one	-0,32
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	<3

#### BCF

CAS No	Chemical name	BCF	Species	Source
13463-67-7	Titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter <= 10 μm]	352	Oncorhynchus mykiss (Rainbow trout)	
2634-33-5	1,2-benzisothiazol-3(2H)-one	189	Danio rerio (zebrafish)	OECD 305
2682-20-4	2-methyl-2H-isothiazol-3-one	3,16	No data available	
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	<100		

# 12.4. Mobility in soil

Based on available data, the classification criteria are not met.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### Further information

There are no data available on the mixture itself. Do not allow to enter into surface water or drains.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods



according to Regulation (EC) No 1907/2006

# Düfa Extrem 6in1

Revision date: 18.10.2023

Product code: 10071020400000

Page 13 of 15

# **Disposal recommendations**

Do not allow to enter into surface water or drains.

Dispose according to legislation.

Dried out material residue can be disposed of with household waste. For liquid material residue, contact your local waste collection provider.

#### List of Wastes Code - residues/unused products

080112 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish other than those mentioned in 08 01 11

#### List of Wastes Code - contaminated packaging

WASTE PACKAGING: ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND 150102 PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

#### Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Packing which cannot be properly cleaned must be disposed of. Completely emptied packages can be recycled.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Inland waterways transport (ADN) 14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Marine transport (IMDG) 14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: 14.6. Special precautions for user No dangerous good in sense of this transport regulation. 14.7. Maritime transport in bulk according to IMO instruments not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No

#### EU regulatory information

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

# Düfa Extrem 6in1

Revision date: 18.10.2023

Product code: 10071020400000

Page 14 of 15

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75 2010/75/EU (VOC):

2004/42/EC (VOC):

Information according to 2012/18/EU (SEVESO III):

0,028 % (0,387 g/l) 0,015 % (0,205 g/l) Not subject to 2012/18/EU (SEVESO III)

### Additional information

This product is a "treated article without a primary biocidal function" (Article 58 in conjunction with Article 3(1)(a)). The product contains biocides with preservative action to combat microbial decay (PT6).

#### National regulatory information

Water hazard class (D):

1 - slightly hazardous to water

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 2,9,15.

#### Abbreviations and acronyms

EWG - Europäische Wirtschaftsgemeinschaft; EG - Europäische Gemeinschaft; CLP- Regulation on Classification, Labelling and Packaging of Substances and Mixtures; TRGS - Technische Regeln für Gefahrstoffe; PBT - persistenter bioakkumulierbarer und toxischer Stoff; vPvB - very persistent very bioaccumulative; REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals; VOC - Flüchtige organische Verbindung WGK - Wassergefährdungsklasse

#### Key literature references and sources for data

Sources: http://www.gisbau.de http://www.baua.de

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure	
Skin Sens. 1; H317	Calculation method	

#### Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H351	Suspected of causing cancer if inhaled.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

#### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.



# Düfa Extrem 6in1

Revision date: 18.10.2023

Product code: 10071020400000

Page 15 of 15

### Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	Coatings and paints, thinners, paint removers	PW, C	19	9a	10, 11	10a, 11a	-	-	Sprüh/Rol/St
LCS: Life cycle stages SU: Sectors of use									
PC: Product categories				F	PROC: Process categories				
ERC: Environmental release categories				A	AC: Article categories				
TF: Technical functions									

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)