

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Düfa Feuchtestopp

Revision date: 05.01.2024 Product code: 10072038500000 Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Düfa Feuchtestopp

UFI: 4T7Y-EPKS-ETQX-3N19

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water-based undercoat

Relevant identified uses see section 16.

Uses advised against

None, use in accordance with instructions.

1.3. Details of the supplier of the safety data sheet

Company name: Meffert AG Farbwerke

Street: Sandweg 15

Place: D-55543 Bad Kreuznach

Telephone: +49 671 870-0 Telefax: +49 671 870-397

E-mail: info@meffert.com

Contact person: Regulatory Affairs Department Telephone: +49 671 870-303

E-mail: SDB@meffert.com Internet: www.meffert.com

1.4. Emergency telephone 00 800 63333782 Mon.–Fri. 7.30 a.m. – 8.00 p.m., Sat. 9.00 a.m. – 8.00 p.m.

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Sens. 1; H317

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

1,2-benzisothiazol-3(2H)-one 2-methyl-2H-isothiazol-3-one

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Signal word: Warning

Pictograms:



Hazard statements

H317 May cause an allergic skin reaction.

Precautionary statements

P102 Keep out of reach of children. P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse.



according to Regulation (EC) No 1907/2006

Düfa Feuchtestopp

Revision date: 05.01.2024 Product code: 10072038500000 Page 2 of 12

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

Toxicological information: The substance/mixture does not contain any components that are classified as hazardous according to

REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605.

Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more have endocrine disrupting properties.

Environmental information: The substance/mixture does not contain any components that are classified as hazardous according to

REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605.

Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more have endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity		
	EC No	Index No	REACH No			
	Classification (Regulation (EC) No	1272/2008)				
2634-33-5	1,2-benzisothiazol-3(2H)-one			< 0.1 %		
	220-120-9	613-088-00-6 01-2120761540-60				
	Acute Tox. 2, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 2; H330 H302 H315 H318 H317 H400 H411					
2682-20-4	2-methyl-2H-isothiazol-3-one					
	220-239-6		01-2120764690-50			
	Acute Tox. 2, Acute Tox. 3, Acute T Acute 1, Aquatic Chronic 1; H330 F	•				
55965-84-9	reaction mass of 5-chloro-2-methyl-	2H-isothiazol-3-one and 2-methyl-2F	H-isothiazol-3-one (3:1)	< 0.0015 %		
		613-167-00-5	01-2120764691-48			
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071					

Full text of H and EUH statements: see section 16.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Düfa Feuchtestopp

Revision date: 05.01.2024 Product code: 10072038500000 Page 3 of 12

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
2634-33-5	220-120-9	1,2-benzisothiazol-3(2H)-one	< 0.1 %
	1	E = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: LD50; oral: LD50 = 530 mg/kg	
2682-20-4	220-239-6	2-methyl-2H-isothiazol-3-one	< 0.1 %
	inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = 285 mg/kg Skin Sens. 1A; H317: >= 0,0015 - 100 Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=1		
55965-84-9		reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	< 0.0015 %
	2-methyl-2H-isothiazol-3-one (3:1) inhalation: ATE = 0,5 mg/l (vapours); inhalation: LC50 = 0,33 mg/l (dusts or mists); dermal: LD50 = >75 mg/kg; oral: LD50 = 49,6-75 mg/kg		

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off immediately all contaminated clothing and wash it before reuse. If unconscious but breathing normally, place in recovery position and seek medical advice. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately. When in doubt or if symptoms are observed, get medical advice.

After inhalation

Remove casualty to fresh air and keep warm and at rest. In case of respiratory tract irritation, consult a physician.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Do not wash with: Solvents/Thinner In case of skin irritation, consult a physician.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

Do NOT induce vomiting. Call a physician immediately. Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Full water jet



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Düfa Feuchtestopp

Revision date: 05.01.2024 Product code: 10072038500000 Page 4 of 12

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Use water spray jet to protect personnel and to cool endangered containers.

Additional information

Do not allow run-off from fire-fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

With water, a slippery film is created. Provide adequate ventilation. See protective measures under point 7 and 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform appropriate authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Other information

Take up mechanically, placing in appropriate containers for disposal.

Methods and material for containment and cleaning up: Sand Sawdust Universal binder

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8

Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation as well as local exhaustion at critical locations. Avoid contact with skin, eyes and clothes. Avoid breathing dust/fume/gas/mist/vapours/spray. Personal protection equipment: see section 8

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Provide fresh air. When using do not eat, drink or smoke. Wash hands before breaks and after work. Make available sufficient washing facilities

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Always close containers tightly after the removal of product. Ensure adequate ventilation of the storage area.

Hints on joint storage

Do not store together with: alkali

Further information on storage conditions

Keep/Store only in original container. Protect from direct sunlight. Avoid heat and frost.

7.3. Specific end use(s)

Primers

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Düfa Feuchtestopp

Revision date: 05.01.2024 Product code: 10072038500000 Page 5 of 12

DNEL/DMEL values

CAS No	Name of agent			
DNEL type		Exposure route	Effect	Value
2634-33-5	1,2-benzisothiazol-3(2H)-one			
Worker DNEL,	long-term	inhalation	systemic	6,8 mg/m³
Worker DNEL, long-term		dermal	systemic	0,966 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	1,2 mg/m³
Consumer DNEL, long-term		dermal	systemic	0,345 mg/kg bw/day
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	d 2-methyl-2H-isothiazo	I-3-one (3:1)	
Worker DNEL,	long-term	inhalation	local	0,02 mg/m³
Worker DNEL,	acute	inhalation	local	0,04 mg/m³
Consumer DN	EL, long-term	inhalation	local	0,02 mg/m³
Consumer DN	EL, acute	inhalation	local	0,04 mg/m³
Consumer DN	Consumer DNEL, long-term		systemic	0,11 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	0,09 mg/kg bw/day

PNEC values

CAS No	Name of agent					
Environmenta	compartment	Value				
2634-33-5	1,2-benzisothiazol-3(2H)-one					
Freshwater		0,00403 mg/l				
Freshwater (ir	termittent releases)	0,0011 mg/l				
Marine water	arine water					
Marine water	Marine water (intermittent releases)					
Freshwater se	reshwater sediment					
Marine sedim	Marine sediment					
Micro-organis	ns in sewage treatment plants (STP)	1,03 mg/l				
Soil		3 mg/kg				
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)					
Freshwater		0,0039 mg/l				
Freshwater (ir	termittent releases)	0,0039 mg/l				
Marine water		0,0039 mg/l				
Marine water	intermittent releases)	0,0039 mg/l				
Freshwater se	diment	0,027 mg/kg				
Marine sedim	ent	0,027 mg/kg				
Micro-organis	ns in sewage treatment plants (STP)	0,23 mg/l				
Soil		0,01 mg/kg				

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation.

Individual protection measures, such as personal protective equipment



according to Regulation (EC) No 1907/2006

Düfa Feuchtestopp

Revision date: 05.01.2024 Product code: 10072038500000 Page 6 of 12

Eye/face protection

Wear eye/face protection.

Wear protective glasses during application with a spray gun.- EN 166

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Replace when worn. See information supplied by the manufacturer. Comply with ruling 195 of Professional Association on "Usage of Protective Gloves"

Suitable material: NBR (Nitrile rubber), CR (polychloroprene, chloroprene rubber), Butyl caoutchouc (butyl rubber), FKM (fluoro rubber) neoprene. Wear cotton undermitten if possible.

Breakthrough time: >480 min. Thickness of the glove material: >0,5 mm

Unsuitable material: leather, fabric.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Light protective clothing. Chemical resistant safety shoes- EN ISO 20345

Respiratory protection

In case of spray processing: Filtering device (full mask or mouthpiece) with filter: A2/P2

For grinding work: Filtering device (full mask or mouthpiece) with filter: P2

The type of personal protection equipment has to be chosen based on the concentration and amount of the dangerous substance at the workplace. EN 137

Environmental exposure controls

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform appropriate authorities in accordance with local regulations.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: sweetish

Melting point/freezing point:

Boiling point or initial boiling point and

120 °C

boiling range: Flammability

Solid/liquid:

Lower explosion limits: not applicable Upper explosion limits: not applicable Flash point: Auto-ignition temperature: not applicable Decomposition temperature: not applicable pH-Value (at 20 °C): 8.0 - 9.0 Viscosity / kinematic: na Water solubility: miscible Dissolution rate: not applicable Partition coefficient n-octanol/water: Not applicable for mixtures Vapour pressure: not determined

Particle characteristics: 9.2. Other information

Density (at 20 °C):

Information with regard to physical hazard classes

not applicable

1,03 g/cm3

Print date: 05.01.2024

Liquid, not applicable



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Düfa Feuchtestopp

Revision date: 05.01.2024 Product code: 10072038500000 Page 7 of 12

Sustaining combustion: Not sustaining combustion

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Other safety characteristics

Solvent separation test:

Sublimation point:

Softening point:

Pour point:

Flow time:

not applicable
not applicable
not applicable
not applicable

Further Information

none

SECTION 10: Stability and reactivity

10.1. Reactivity

This material is considered to be non-reactive under normal use conditions.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Oxidising agent, Strong acid, Strong alkali

10.4. Conditions to avoid

Do not dry up the product. Avoid heat and frost.

10.5. Incompatible materials

Materials that react with water. Alkali (Iye) Acid Oxidising agent.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide Nitrogen oxides (NOx)

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to Regulation (EC) No 1907/2006

Düfa Feuchtestopp

Revision date: 05.01.2024 Product code: 10072038500000 Page 8 of 12

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
2634-33-5	1,2-benzisothiazol-3(2H)	-one						
	oral	LD50 mg/kg	530	Rat		OECD 423		
	dermal	LD50 mg/kg	>2000	Rat		OECD 402		
	inhalation vapour	ATE	0,5 mg/l					
	inhalation dust/mist	ATE	0,05 mg/l					
2682-20-4	2-methyl-2H-isothiazol-3-one							
	oral	LD50 mg/kg	285	Rat				
	dermal	LD50 mg/kg	>2000	Rat				
	inhalation vapour	ATE	0,5 mg/l					
	inhalation dust/mist	ATE	0,05 mg/l					
55965-84-9	reaction mass of 5-chlor	o-2-methyl-	2H-isothiazol-	3-one and 2-methyl-2H-iso	othiazol-3-one (3:1)			
	oral	LD50 mg/kg	49,6-75	Rat				
	dermal	LD50 mg/kg	>75	Rabbit				
	inhalation vapour	ATE	0,5 mg/l					
	inhalation (4 h) dust/mist	LC50	0,33 mg/l	Rat				

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (1,2-benzisothiazol-3(2H)-one; 2-methyl-2H-isothiazol-3-one; reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1))

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

Düfa Feuchtestopp

Revision date: 05.01.2024 Product code: 10072038500000 Page 9 of 12

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
2634-33-5	1,2-benzisothiazol-3(2H)-	one					
	Acute fish toxicity	LC50 mg/l	2,15	96 h	Oncorhynchus mykiss (Rainbow trout)		OECD 203
	Acute algae toxicity	ErC50 mg/l	0,11	72 h	Pseudokirchneriella subcapitata		OECD 201
	Acute crustacea toxicity	EC50 mg/l	3,27	48 h	Daphnia magna (Big water flea)		OECD 202
	Fish toxicity	NOEC mg/l	0,21	28 d	Oncorhynchus mykiss (Rainbow trout)		OECD 215
	Algae toxicity	NOEC mg/l	0,0403	3 d	Pseudokirchneriella subcapitata		OECD 201
	Acute bacteria toxicity	(EC50 mg/l)	12,8	3 h	Activated sludge		OECD 209
2682-20-4	2-methyl-2H-isothiazol-3-	one					
	Acute fish toxicity	LC50 mg/l	>0,15	96 h	Danio rerio (zebrafish)		
	Acute algae toxicity	ErC50 mg/l	0,157	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 mg/l	0,87	48 h	Daphnia magna (Big water flea)		
	Acute bacteria toxicity	(EC50 mg/l)	34,6	3 h	Activated sludge		
55965-84-9	reaction mass of 5-chloro-	-2-methyl-2H	-isothiazol-	3-one and	d 2-methyl-2H-isothiazol-	3-one (3:1)	
	Acute fish toxicity	LC50 mg/l	0,19	96 h	Oncorhynchus mykiss (Rainbow trout)		OECD 202
	Acute algae toxicity	ErC50 mg/l	0,027	72 h	Pseudokirchneriella subcapitata		OECD 201
	Acute crustacea toxicity	EC50 mg/l	0,16	48 h	Daphnia magna (Big water flea)		OECD 203
	Fish toxicity	NOEC mg/l	0,05	14 d	Oncorhynchus mykiss (Rainbow trout)		
	Algae toxicity	NOEC mg/l	0,0012	3 d	Pseudokirchneriella subcapitata		OECD 201
	Crustacea toxicity	NOEC	0,1 mg/l	21 d	Daphnia magna (Big water flea)		
	Acute bacteria toxicity	(EC50 mg/l)	7,92	3 h	Activated sludge		OECD 209

12.2. Persistence and degradability

Based on available data, the classification criteria are not met.

CAS No	Chemical name							
	Method	Value	d	Source				
	Evaluation							
2634-33-5	1,2-benzisothiazol-3(2H)-one							
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	70-80%	28					
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)							
	OECD 301D/ EEC 92/69/V, C.4-E	>60%	28					
	Readily biodegradable (according to OECD criteria).							
	OECD 302B/ ISO 9888/ EEC 92/69/V, C.9	100%	28					
	OECD 303/ EEC 92/69/V, C10	>80%	28					



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Düfa Feuchtestopp

Revision date: 05.01.2024 Product code: 10072038500000 Page 10 of 12

12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
2634-33-5	1,2-benzisothiazol-3(2H)-one	0,7
2682-20-4	2-methyl-2H-isothiazol-3-one	-0,32
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	<3

BCF

CAS No	Chemical name	BCF	Species	Source
2634-33-5	1,2-benzisothiazol-3(2H)-one	189	Danio rerio (zebrafish)	OECD 305
2682-20-4	2-methyl-2H-isothiazol-3-one	3,16	No data available	
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	<100		

12.4. Mobility in soil

Based on available data, the classification criteria are not met.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Based on available data, the classification criteria are not met.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains.

Dispose according to legislation.

Dried out material residue can be disposed of with household waste. For liquid material residue, contact your local waste collection provider.

List of Wastes Code - residues/unused products

080112 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish other than those mentioned in 08 01 11

List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); plastic packaging

Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Packing which cannot be properly cleaned must be disposed of. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Düfa Feuchtestopp

Revision date: 05.01.2024 Product code: 10072038500000 Page 11 of 12

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2010/75/EU (VOC): 0,067 % (0,693 g/l) 2004/42/EC (VOC): 0,016 % (0,164 g/l)

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

Additional information

This product is a "treated article without a primary

biocidal function" (Article 58 in conjunction with Article 3(1)(a)). The product contains biocides with preservative action to combat microbial decay (PT6).

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

Additional information

none

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Düfa Feuchtestopp

Revision date: 05.01.2024 Product code: 10072038500000 Page 12 of 12

Changes

This data sheet contains changes from the previous version in section(s): 15.

Abbreviations and acronyms

EWG - Europäische Wirtschaftsgemeinschaft; EG - Europäische Gemeinschaft; CLP- Regulation on Classification, Labelling and Packaging of Substances and Mixtures; TRGS - Technische Regeln für Gefahrstoffe; PBT - persistenter bioakkumulierbarer und toxischer Stoff; vPvB - very persistent very bioaccumulative; REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals; VOC - Flüchtige organische Verbindung WGK - Wassergefährdungsklasse

Key literature references and sources for data

Sources: http://www.gisbau.de http://www.baua.de

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
	Coatings and paints, ninners, paint removers	PW, C	19	9a	10, 11	10a, 11a		-	Sprüh/Rol/St

LCS: Life cycle stages

PC: Product categories

ERC: Environmental release categories

TF: Technical functions

SU: Sectors of use

PROC: Process categories

AC: Article categories

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)