

according to Regulation (EC) No 1907/2006

## düfa Künstlerweiss

Revision date: 07.02.2024

Product code: 10071016800000

Page 1 of 15

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

düfa Künstlerweiss

UFI:

YH7J-YMTP-0F6S-1N5G

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

dispersion paint

Relevant identified uses see section 16.

#### Uses advised against

None, use in accordance with instructions.

### 1.3. Details of the supplier of the safety data sheet

Company name:	Meffert AG Farbwerke	
Street:	Sandweg 15	
Place:	D-55543 Bad Kreuznach	
Telephone:	+49 671 870-0	Telefax: +49 671 870-397
E-mail:	info@meffert.com	
Contact person:	Regulatory Affairs Department	Telephone: +49 671 870-303
E-mail:	SDB@meffert.com	
Internet:	www.meffert.com	
1.4. Emergency telephone	00 800 63333782 Mon.–Fri. 7.30 a.m	n. – 8.00 p.m., Sat. 9.00 a.m. – 8.00 p.m.
number:		

### SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

**Regulation (EC) No 1272/2008** Skin Sens. 1; H317

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

#### Regulation (EC) No 1272/2008

#### Hazard components for labelling

1,2-benzisothiazol-3(2H)-one 2-methyl-2H-isothiazol-3-one reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Signal word:

**Pictograms:** 



Warning

#### **Hazard statements**

H317

May cause an allergic skin reaction.

#### Precautionary statements

P102	Keep out of reach of children.
P280	Wear protective gloves.
P302+P352	IF ON SKIN: Wash with plenty of water.
P362+P364	Take off contaminated clothing and wash it before reuse.



according to Regulation (EC) No 1907/2006

## düfa Künstlerweiss

Revision date: 07.02.2024

Product code: 10071016800000

Page 2 of 15

### Special labelling of certain mixtures

EUH211:Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

### 2.3. Other hazards

No information available.

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### **Relevant ingredients**

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification (Regulation (EC) No	1272/2008)	· ·			
13463-67-7	Titanium dioxide; [in powder form <= 10 µm]	containing 1 % or more of <sub>l</sub>	particles with aerodynamic diameter	15 - < 20 %		
	236-675-5		01-2119489379-17			
	Carc. 2; H351					
77-99-6	1,1,1-trimethylolpropane, 1,1,1-Tri	s(hydroxymethyl)propane		< 1 %		
	201-074-9		01-2119486799-10			
	Repr. 2; H361fd					
2634-33-5	1,2-benzisothiazol-3(2H)-one	< 0.05 %				
	220-120-9	613-088-00-6	01-2120761540-60			
	Acute Tox. 2, Acute Tox. 4, Skin I Chronic 2; H330 H302 H315 H318					
2682-20-4	2-methyl-2H-isothiazol-3-one	< 0.1 %				
	220-239-6		01-2120764690-50			
	Acute Tox. 2, Acute Tox. 3, Acute Acute 1, Aquatic Chronic 1; H330					
27646-80-6	30-6 2-Methylamino-2-methyl-1-propanol					
	Acute Tox. 4, Skin Irrit. 2, Eye Dar					
55965-84-9	reaction mass of 5-chloro-2-methy	< 0.0015 %				
		613-167-00-5	01-2120764691-48			
	Acute Tox. 2, Acute Tox. 2, Acute Acute 1, Aquatic Chronic 1; H330					

Full text of H and EUH statements: see section 16.

according to Regulation (EC) No 1907/2006

## düfa Künstlerweiss

Revision date: 07.02.2024

Product code: 10071016800000

Page 3 of 15

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Cond	c. Limits, M-factors and ATE	
13463-67-7	236-675-5	Titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter <= 10 $\mu$ m]	15 - < 20 %
	inhalation: L0 >5000 mg/kg	C50 = >6,82 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = Carc. 2; H351: >= 100 - 100	
77-99-6	201-074-9	1,1,1-trimethylolpropane, 1,1,1-Tris(hydroxymethyl)propane	< 1 %
	inhalation: L	C50 = 850 mg/l (vapours); dermal: LD50 = 10000 mg/kg; oral: LD50 = 14700 mg/kg	
2634-33-5	220-120-9	1,2-benzisothiazol-3(2H)-one	< 0.05 %
	= >2000 mg/k	TE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: LD50 kg; oral: LD50 = 530 mg/kg Skin Sens. 1; H317: >= 0,05 - 100 e 1; H400: M=1	
2682-20-4	220-239-6	2-methyl-2H-isothiazol-3-one	< 0.1 %
	= >2000 mg/k Aquatic Acute	TE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: LD50 kg; oral: LD50 = 285 mg/kg Skin Sens. 1A; H317: >= 0,0015 - 100 > 1; H400: M=10 nic 1; H410: M=1	
27646-80-6		2-Methylamino-2-methyl-1-propanol	< 0.01 %
	oral: ATE = 5	500 mg/kg	
55965-84-9		reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	< 0.0015 %
	LD50 = >75 n H315: >= 0,00 Skin Sens. 1A Aquatic Acute	TE = 0,5 mg/l (vapours); inhalation: LC50 = 0,33 mg/l (dusts or mists); dermal: ng/kg; oral: LD50 = 49,6-75 mg/kg Skin Corr. 1C; H314: >= 0,6 - 100 Skin Irrit. 2; 6 - < 0,6 Eye Dam. 1; H318: >= 0,6 - 100 Eye Irrit. 2; H319: >= 0,06 - < 0,6 A; H317: >= 0,0015 - 100 e 1; H400: M=100 nic 1; H410: M=100	

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **General information**

Take off immediately all contaminated clothing and wash it before reuse. If unconscious but breathing normally, place in recovery position and seek medical advice. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately. When in doubt or if symptoms are observed, get medical advice.

#### After inhalation

If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary. Provide fresh air.

#### After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. Wash immediately with: Water and soap. Do not wash with: Solvents/Thinner

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.Seek medical advice immediately.

#### After ingestion

Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Allergic reactions

#### **<u>4.3. Indication of any immediate medical attention and special treatment needed</u> Treat symptomatically. Treat symptomatically.**

according to Regulation (EC) No 1907/2006

## düfa Künstlerweiss

Revision date: 07.02.2024

Product code: 10071016800000

Page 4 of 15

### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Use water spray jet to protect personnel and to cool endangered containers.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. In case of fire: Wear self-contained breathing apparatus.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### General advice

With water, a slippery film is created. Provide adequate ventilation.

#### For non-emergency personnel

Use personal protection equipment. Personal protection equipment: see section 8 First aider: Pay attention to self-protection!

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform appropriate authorities in accordance with local regulations.

#### 6.3. Methods and material for containment and cleaning up

### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Take up mechanically, placing in appropriate containers for disposal.

Methods and material for containment and cleaning up: Sand Sawdust Universal binder

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13 Safe handling: see section 7 Personal protection equipment: see section 8 Treat the recovered material as prescribed in the section on waste disposal.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

Provide adequate ventilation as well as local exhaustion at critical locations. Avoid contact with skin, eyes and clothes. Avoid breathing dust/fume/gas/mist/vapours/spray. Personal protection equipment: see section 8

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.



according to Regulation (EC) No 1907/2006

## düfa Künstlerweiss

Revision date: 07.02.2024

Product code: 10071016800000

Page 5 of 15

#### Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink. Provide fresh air.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Always close containers tightly after the removal of product.

Hints on joint storage

Do not store together with: Acid alkali

### Further information on storage conditions

Keep/Store only in original container. Protect from direct sunlight. Avoid cooling down below 10°C.

## 7.3. Specific end use(s)

Water-based paints, solvent-free

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

## DNEL/DMEL values

CAS No	Name of agent			
DNEL type		Exposure route	Effect	Value
13463-67-7	Titanium dioxide; [in powder form containing 1 % or more	e of particles with aeroo	dynamic diameter <-	= 10 µm]
Worker DNEL	long-term	inhalation	local	10 mg/m <sup>3</sup>
Consumer DN	EL, long-term	oral	systemic	700 mg/kg bw/day
77-99-6	1,1,1-trimethylolpropane, 1,1,1-Tris(hydroxymethyl)propa	ane	-	
Worker DNEL	, long-term	inhalation	systemic	3,3 mg/m³
Worker DNEL	long-term	dermal	systemic	0,94 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	0,58 mg/m³
Consumer DN	EL, long-term	dermal	systemic	0,34 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	0,34 mg/kg bw/day
2634-33-5	1,2-benzisothiazol-3(2H)-one		-	
Worker DNEL	, long-term	inhalation	systemic	6,8 mg/m³
Worker DNEL	long-term	dermal	systemic	0,966 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	1,2 mg/m <sup>3</sup>
Consumer DN	EL, long-term	dermal	systemic	0,345 mg/kg bw/day
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one a	and 2-methyl-2H-isothia	azol-3-one (3:1)	
Worker DNEL	, long-term	inhalation	local	0,02 mg/m³
Worker DNEL	, acute	inhalation	local	0,04 mg/m³
Consumer DNEL, long-term		inhalation	local	0,02 mg/m³
Consumer DN	EL, acute	inhalation	local	0,04 mg/m <sup>3</sup>
Consumer DNEL, long-term		oral	systemic	0,11 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	0,09 mg/kg bw/day

according to Regulation (EC) No 1907/2006

## düfa Künstlerweiss

Revision date: 07.02.2024

Product code: 10071016800000

Page 6 of 15

#### **PNEC** values

CAS No	Name of agent						
Environmental	compartment	Value					
13463-67-7	Titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diam	neter <= 10 μm]					
Freshwater	Freshwater						
Freshwater (in	reshwater (intermittent releases)						
Marine water		1 mg/l					
Freshwater se	diment	1000 mg/kg					
Marine sedime	nt	100 mg/kg					
Micro-organisr	ns in sewage treatment plants (STP)	100 mg/l					
Soil		100 mg/kg					
77-99-6	1,1,1-trimethylolpropane, 1,1,1-Tris(hydroxymethyl)propane						
2634-33-5	1,2-benzisothiazol-3(2H)-one						
Freshwater		0,00403 mg/l					
Freshwater (in	termittent releases)	0,0011 mg/l					
Marine water		0,000403 mg/l					
Marine water (	intermittent releases)	0,0011 mg/l					
Freshwater se	diment	0,049 mg/l					
Marine sedime	nt	0,00499 mg/kg					
Micro-organisr	ns in sewage treatment plants (STP)	1,03 mg/l					
Soil		3 mg/kg					
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3	:1)					
Freshwater		0,0039 mg/l					
Freshwater (in	termittent releases)	0,0039 mg/l					
Marine water		0,0039 mg/l					
Marine water (	0,0039 mg/l						
Freshwater sediment 0,							
Marine sedime	nt	0,027 mg/kg					
Micro-organisr	ns in sewage treatment plants (STP)	0,23 mg/l					
Soil		0,01 mg/kg					

## 8.2. Exposure controls

## Appropriate engineering controls

Provide adequate ventilation.

## Individual protection measures, such as personal protective equipment

### Eye/face protection

Wear eye/face protection. Wear eye/face protection.

Wear protective glasses during application with a spray gun.

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Replace when



according to Regulation (EC) No 1907/2006

## düfa Künstlerweiss

Revision date: 07.02.2024

Product code: 10071016800000

Page 7 of 15

worn.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. See information supplied by the manufacturer.

Suitable material:NBR (Nitrile rubber). Wear cotton undermitten if possible. Breakthrough time:: >480 min. Thickness of the glove material: >0,5 mm

#### Skin protection

Wear suitable protective clothing. Light protective clothing.

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection. In case of spray processing: Filtering device (full mask or mouthpiece) with filter: A2/P2

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform appropriate authorities in accordance with local regulations.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	see color on the packaging label
Odour:	sweetish
Odour threshold:	not determined
Melting point/freezing point:	ca. 0°C °C
Boiling point or initial boiling point and	ca. 100 °C
boiling range:	
Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Flash point:	na
Auto-ignition temperature:	not applicable
Decomposition temperature:	not applicable
pH-Value (at 20 °C):	8,5 - 9,0
Viscosity / kinematic:	na
Water solubility:	completely miscible
Solubility in other solvents	
not determined	
Dissolution rate:	not applicable
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	not determined
Density (at 20 °C):	1,44 g/cm <sup>3</sup>
Relative vapour density:	not determined
Particle characteristics:	Liquid, not applicable
9.2. Other information	
Information with regard to physical haz	zard classes
Sustaining combustion:	Not sustaining combustion
Self-ignition temperature	
Solid:	not applicable
Gas:	not applicable
Oxidizing properties	
Not oxidising.	
Other safety characteristics	
Evaporation rate:	not determined

according to Regulation (EC) No 1907/2006

## düfa Künstlerweiss

Revision date: 07.02.2024	Product code: 10071016800000	Page 8 of 15
---------------------------	------------------------------	--------------

not applicable

not determined

not applicable

not applicable

not applicable

na

Solvent separation test: Solid content: Sublimation point: Softening point: Pour point: Flow time:

## **Further Information**

none

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

This material is considered to be non-reactive under normal use conditions.

### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

Exothermic reaction with: Oxidising agent, Strong acid, Strong alkali

#### 10.4. Conditions to avoid

Avoid heat and frost.

### 10.5. Incompatible materials

Materials that react with water. Alkali (lye) Acid, Oxidising agent..

## 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Nitrogen oxides (NOx), Carbon dioxide (CO2). Under certain fire conditions, traces of other toxic products can not be excluded.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute toxicity

Based on available data, the classification criteria are not met.

# ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

according to Regulation (EC) No 1907/2006

## düfa Künstlerweiss

Revision date: 07.02.2024

Product code: 10071016800000

Page 9 of 15

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
13463-67-7	Titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter <= 10 µm]							
	oral	LD50 mg/kg	>5000	Rat		OECD 425		
	dermal	LD50 mg/kg	>2000	Rat				
	inhalation (4 h) dust/mist	LC50 mg/l	>6,82					
77-99-6	1,1,1-trimethylolpropane	, 1,1,1-Tris(I	nydroxymethy	/I)propane				
	oral	LD50 mg/kg	14700	Rabbit				
	dermal	LD50 mg/kg	10000	Rabbit				
	inhalation (4 h) vapour	LC50	850 mg/l	Rat				
2634-33-5	1,2-benzisothiazol-3(2H)	-one						
	oral	LD50 mg/kg	530	Rat		OECD 423		
	dermal	LD50 mg/kg	>2000	Rat		OECD 402		
	inhalation vapour	ATE	0,5 mg/l					
	inhalation dust/mist	ATE	0,05 mg/l					
2682-20-4	2-methyl-2H-isothiazol-3	-one						
	oral	LD50 mg/kg	285	Rat				
	dermal	LD50 mg/kg	>2000	Rat				
	inhalation vapour	ATE	0,5 mg/l					
	inhalation dust/mist	ATE	0,05 mg/l					
27646-80-6	2-Methylamino-2-methyl	-1-propanol						
	oral	ATE mg/kg	500					
55965-84-9	reaction mass of 5-chlore	o-2-methyl-2	2H-isothiazol-	3-one and 2-methyl-	-2H-isothiazol-3-one (3:	1)		
	oral	LD50 mg/kg	49,6-75	Rat				
	dermal	LD50 mg/kg	>75	Rabbit				
	inhalation vapour	ATE	0,5 mg/l					
	inhalation (4 h) dust/mist	LC50	0,33 mg/l	Rat				

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

### Sensitising effects

May cause an allergic skin reaction. (1,2-benzisothiazol-3(2H)-one; 2-methyl-2H-isothiazol-3-one; reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1))

## Carcinogenic/mutagenic/toxic effects for reproduction



according to Regulation (EC) No 1907/2006

## düfa Künstlerweiss

Revision date: 07.02.2024

Product code: 10071016800000

Page 10 of 15

Based on available data, the classification criteria are not met.

Titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter <= 10  $\mu$ m]: Test data from the manufacturer of the raw materials containing TiO2 according to EN 15051-2 show that the raw materials contain < 1% particles with an aerodynamic diameter of <=10  $\mu$ m and therefore do not meet the classification criteria. The respirable and thoracic dust content of raw materials containing TiO2 falls into the very low or low dust category according to the EN 15051-2 method.

### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

## 11.2. Information on other hazards

## Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

The product is not: Ecotoxic.

# according to Regulation (EC) No 1907/2006

## düfa Künstlerweiss

Revision date: 07.02.2024

Product code: 10071016800000

Page 11 of 15

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
13463-67-7	Titanium dioxide; [in powo	der form contai	ining 1 % c	or more o	of particles with aerodynan	nic diameter <= 10 μm	1]
	Acute fish toxicity	LC50 mg/l	>10000	96 h	Cyprinus carpio (Common Carp)		OECD 203
	Acute algae toxicity	ErC50 mg/l	>100	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia magna (Big water flea)		
77-99-6	1,1,1-trimethylolpropane,	1,1,1-Tris(hyd	roxymethy	l)propane	e		
	Acute fish toxicity	LC50 mg/l	10000	96 h	Alburnus alburnus (alburnum)		
	Acute algae toxicity	ErC50 10000 mg/l	1000-	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 mg/l	13000	48 h	Daphnia magna (Big water flea)		
	Algae toxicity	NOEC mg/l	1000	3 d	not determined		
	Crustacea toxicity	NOEC mg/l	1000	21 d	not determined		
	Acute bacteria toxicity	EC50 mg/l()	1000	3 h	not determined		
2634-33-5	1,2-benzisothiazol-3(2H)-	one			-	_	
	Acute fish toxicity	LC50 mg/l	2,15	96 h	Oncorhynchus mykiss (Rainbow trout)		OECD 203
	Acute algae toxicity	ErC50 mg/l	0,11	72 h	Pseudokirchneriella subcapitata		OECD 201
	Acute crustacea toxicity	EC50 mg/l	3,27	48 h	Daphnia magna (Big water flea)		OECD 202
	Fish toxicity	NOEC mg/l	0,21	28 d	Oncorhynchus mykiss (Rainbow trout)		OECD 215
	Algae toxicity	NOEC mg/l	0,0403	3 d	Pseudokirchneriella subcapitata		OECD 201
	Acute bacteria toxicity	EC50 mg/l()	12,8	3 h	Activated sludge		OECD 209
2682-20-4	2-methyl-2H-isothiazol-3-	one			-	_	_
	Acute fish toxicity	LC50 mg/l	>0,15	96 h	Danio rerio (zebrafish)		
	Acute algae toxicity	ErC50 mg/l	0,157	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 mg/l	0,87	48 h	Daphnia magna (Big water flea)		
	Acute bacteria toxicity	EC50 mg/l()	34,6	3 h	Activated sludge		
55965-84-9	reaction mass of 5-chloro	-2-methyl-2H-i	sothiazol-3	B-one and	d 2-methyl-2H-isothiazol-3	-one (3:1)	
	Acute fish toxicity	LC50 mg/l	0,19	96 h	Oncorhynchus mykiss (Rainbow trout)		OECD 202
	Acute algae toxicity	ErC50 mg/l	0,027	72 h	Pseudokirchneriella subcapitata		OECD 201
	Acute crustacea toxicity	EC50 mg/l	0,16	48 h	Daphnia magna (Big water flea)		OECD 203
	Fish toxicity	NOEC mg/l	0,05		Oncorhynchus mykiss (Rainbow trout)		

Revision No: 2,5 - Replaces version: 2,4

according to Regulation (EC) No 1907/2006

## düfa Künstlerweiss

Revision date: 07.02.2024

Product code: 10071016800000

Page 12 of 15

Algae toxicity	NOEC mg/l	0,0012		Pseudokirchneriella subcapitata	OECD 201
Crustacea toxicity	NOEC	0,1 mg/l		Daphnia magna (Big water flea)	
Acute bacteria toxicity	EC50 mg/l()	7,92	3 h	Activated sludge	OECD 209

### 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name							
	Method Value d Source							
	Evaluation							
2634-33-5	1,2-benzisothiazol-3(2H)-one							
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C 70-80% 28							
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-m	ethyl-2H-isothiazol-3-one	(3:1)					
	OECD 301D/ EEC 92/69/V, C.4-E	>60%	28					
	Readily biodegradable (according to OECD criteria).							
	OECD 302B/ ISO 9888/ EEC 92/69/V, C.9 100% 28							
	OECD 303/ EEC 92/69/V, C10 >80% 28							

### 12.3. Bioaccumulative potential

The product has not been tested.

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
2634-33-5	1,2-benzisothiazol-3(2H)-one	0,7
2682-20-4	2-methyl-2H-isothiazol-3-one	-0,32
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	<3

#### BCF

CAS No	Chemical name	BCF	Species	Source	
13463-67-7 Titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter <= 10 μm]		352	Oncorhynchus mykiss (Rainbow trout)		
2634-33-5	3-5 1,2-benzisothiazol-3(2H)-one		Danio rerio (zebrafish)	OECD 305	
2682-20-4 2-methyl-2H-isothiazol-3-one		3,16	No data available		
55965-84-9 reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)		<100			

### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The product has not been tested.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

No information available.

## **Further information**

Avoid release to the environment. There are no data available on the mixture itself. Do not allow to enter into surface water or drains.

according to Regulation (EC) No 1907/2006

## düfa Künstlerweiss

Revision date: 07.02.2024

Product code: 10071016800000

Page 13 of 15

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

## **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. Do not allow to enter into surface water or drains.

Dispose according to legislation.

Dried out material residue can be disposed of with household waste. For liquid material residue, contact your local waste collection provider.

#### List of Wastes Code - residues/unused products

080112 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish other than those mentioned in 08 01 11

#### List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

#### **Contaminated packaging**

Wash with plenty of water. Completely emptied packages can be recycled. Contaminated packages must be completely emptied and can be re-used following proper cleaning. Packing which cannot be properly cleaned must be disposed of. Completely emptied packages can be recycled.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

 14.1. UN number or ID number:

 14.2. UN proper shipping name:

 14.3. Transport hazard class(es):

 14.4. Packing group:

 Inland waterways transport (ADN)

 14.1. UN number or ID number:

 14.2. UN proper shipping name:

 14.3. Transport hazard class(es):

 14.4. Packing group:

 Marine transport (IMDG)

14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group:

Air transport (ICAO-TI/IATA-DGR) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u>

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

No

### 14.7. Maritime transport in bulk according to IMO instruments not applicable

according to Regulation (EC) No 1907/2006

## düfa Künstlerweiss

Revision date: 07.02.2024

Product code: 10071016800000

Page 14 of 15

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 3, Entry 75	
Directive 2010/75/EU on industrial emissions:	0,038 % (0,549 g/l)
Directive 2004/42/EC on VOC in paints and varnishes:	0,032 % (0,464 g/l)
Information according to Directive 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)

## Additional information

This product is a "treated article without a primary biocidal function" (Article 58 in conjunction with Article 3(1)(a)). The product contains biocides with preservative action to combat microbial decay (PT6).

#### National regulatory information

Water hazard class (D): Skin resorption/Sensitization:

2 - obviously hazardous to water Causes allergic hypersensitivity reactions.

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

#### Changes

This data sheet contains changes from the previous version in section(s): 15.

# Abbreviations and acronyms

Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage Skin Sens: Skin sensitisation Carc: Carcinogenicity Repr: Reproductive toxicity Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

#### Key literature references and sources for data

Sources: http://www.gisbau.de http://www.baua.de

according to Regulation (EC) No 1907/2006

## düfa Künstlerweiss

Revision date: 07.02.2024

Product code: 10071016800000

Page 15 of 15

## Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

	Classification procedure				
Skin Sens. 1; H317 Calculation method	d				

## Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H351	Suspected of causing cancer.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

## **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

#### Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
	Coatings and paints, thinners, paint removers	PW, C	19	9a	10, 11	10a, 11a	-	-	Sprüh/Rol/St
LCS: L	LCS: Life cycle stages SU: Sectors of use								
PC: Product categories				F	PROC: Process categories				
ERC: Environmental release categories				A	AC: Article categories				
TF: Te	TF: Technical functions								

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)